


GenoBots



SPROUTMATION



A.I - Powered Scrubber-dryer Robot



**SCRUBBER
L50**



L50 Key Features

The CenoBots L50 provides exceptional cleaning productivity and performance, making it an excellent cleaning partner. Equipped with a 55 L/14.5 gal water tank and a 120Ah capacity battery, this scrubber can efficiently cover a larger surface area in less time. Its high pad pressure ensures comprehensive and effective cleanliness, making it a reliable cleaning solution for all types of cleaning tasks. With a full coverage productivity of 2570m²/27663ft² per hour, this scrubber is perfect for a wide range of commercial spaces, regardless of their size

Build to last

The CenoBots L50 has undergone thorough testing and has been manufactured using the rotational molding process and well-trained components. As a result, it is capable of withstanding wear and tear, ensuring that it can operate reliably and durably over an extended period of time.



Human-like intelligent cleaning

The CenoBots L50 is equipped with the latest and most advanced 3D lidar technology and the most powerful AI computing chip, enabling it to achieve intelligent cleaning that is truly comparable to a human's. Furthermore, the L50 can operate at a distance of < 5cm from the wall and adapt its mapping to the environment, allowing it to optimize its cleaning route and increase efficiency.

Hassle-free after sale service

Thanks to its strong mapping capabilities and advanced algorithms, the CenoBots L50 can adjust to changes in the environment without any need for human intervention. In addition, with free OTA updates, software updates can be easily performed without the need for a technician to come on-site. This convenient after-sale service ensures that the scrubber robot is always up-to-date and can provide dependable and effective cleaning solutions for its users.



High level of safety

Equipped with multiple sensors and a 3D, 360-degree comprehensive safety protection system, this scrubber offers a high level of safety.

Easy to maintain

The CenoBots L50 is easy to maintain, thanks to its automatic refill and drain water system, as well as its charge and discharge capabilities, which are accessible through the one-stop service docking station. Furthermore, its modular components and intuitive interior design make it very easy to perform maintenance and troubleshooting tasks.

L50 Specifications

DIMENSIONS	
Length	1055 mm 41.5in
Width (w/o Squeegee)	580 mm 22.8 in
Height	1045 mm 41 in
Net Weight	205 kg 452 lbs
Cleaning Width	510 mm 20 in
Squeegee Width	740 mm 29 in
CLEANING	
Max. Theoretical Productivity	2570 Sqm/h 27,663 Sqft/h
Brush Pressure	25 kg 55.1 lbs
Disk Brush Speed	220 RPM
Clean Water Tank Capacity	55 L 14.5 gal
Waste Water Tank Capacity	55 L 14.5 gal
Noise Level	>= 67 dB
MOVEMENT	
Max. Speed	1.4 m/s 3.13 mph
Min. Distance From Wall	< 50 mm 2 in
Min. Passable Width	900 mm 35.4 in
Grade	6 Degree
POWER	
Battery Type	Lithium iron Phosphate
Battery Capacity	120 Ah
Rated Voltage	24 VDC
Charging Time	4 h
Max. Runtime	6 h
SENSING	3D Lidar, 2D Lidar, 3D Depth Cam., Ultrasonic Sensor, Bumper Sensor, Anti-drop Sensor
KEY COMPONENTS FOR A.I	
Process Chip	Nvidia Xavier AI edge computing chips with up to 32 TOPS AI performance
Mapping Sensor	3D LiDAR with 150 m detection range



 www.sproutmation.com

 sales@sproutmation.com

 [952.222.8343](tel:952.222.8343)